

SWARCO

McCain NEMA CONTROLLER CABINET

TS1
TS2

The McCain NEMA Controller Cabinet conforms to the National Electrical Manufacturer's Association (NEMA) Standards Publication TS 2-2003, Traffic Controller Assemblies with NTCIP requirements, and represents a modern, state-of-the-art approach to traffic control. This robust cabinet is manufactured with the high quality standards and features found on all of SWARCO McCain's controller cabinets. Available in both TS 1 and TS 2 versions, the flexible and modular design allows for replacement of all major components and assemblies.



KEY BENEFITS

- Various detector racks can be configured for your unique specifications
- Large front door provides easy access to the cabinet's sizeable interior
- Drop-down technicians panel and load bay simplifies maintenance access
- Available in NEMA TS 1 and TS 2 versions to meet your requirements

PRODUCT DESCRIPTION


The McCain NEMA Controller Cabinet provides for an eight phase, four pedestrian operation with four overlaps. Various detector racks are available to meet your specifications with many types available including, but not limited to, six, eight, ten, and twelve-position. The TS 2 version also includes one position for a Bus Interface Unit (BIU) per Detector Rack. The Load Bay comes standard with 14 or 16 load switch positions for the TS 1 and TS 2, respectively.

The NEMA Controller Cabinet features a drop-down technicians panel, police door, and load bay. Two adjustable shelves are included and all terminals are of the barrier type.

A number of configuration options are available for both the TS 1 and TS 2 versions, please contact SWARCO McCain to discuss options to meet your unique requirements.

McCain NEMA CONTROLLER CABINET

FRONT




STANDARD FEATURES

- 8-phase, 4 pedestrian operation, 4 overlaps
- Drop-down technicians panel
- Police door
- All terminals are barrier type
- All subassemblies are permanently labeled with silk-screen or label
- Drop down load bay


ASSEMBLIES AND COMPONENTS

- Detector Racks (TS 1), 2-channel, 6, 8, 10, or 12-positions
- Detector Racks (TS 2), 2-channel, 6, 8, 10, or 12-positions, BIU slots (1 each)
- Load Bay 14-position (TS 1) or 16-position (TS 2), BIU slots (2 or 3)
- Shelves (2)

SIDE



BOTTOM



GENERAL SPECIFICATIONS

Dimensions ¹ :	44"W x 55"H x 26"D
Material:	5052-H32 aluminum, 0.125" thick
Finishes:	Natural, anodized, or powder coated
Door:	Front door, full size
Latching System:	3-point, choice of Corbin or Best locks
Handles:	3/4" round, stainless steel with padlock hasp
Door Stops:	90°, 135°, and 165° (±10°), bottom
Door Hinge:	Continuous, piano-type, stainless steel
Ventilation:	Thermostatically controlled 100 CFM fan, louvered air intake in door, pleated filter
Mounting:	Base mounted
Shipping Weight:	285 lbs

OPTIONS

- Detector power supply fail-safe
- Lamp(s), available in incandescent, fluorescent, or LED
- Drawer
- Various surge protection devices available
- Manual control enabled switch
- Manual advance switch
- 3/4" x 16" anchor bolts for mounting (4)

¹Dimensions rounded to the nearest inch

²Powder coated options include standard, anti-graffiti, and custom colors

³Without plug-ins or controllers